

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	695	gate with oxide with ("no".u/c. or nitric or (nitrogen adj oxide))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/04 16:37
S2	542	S1 and (@ad<"20010712" or @rlad<"20010712")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/04 16:38
S3	249	(gate adj oxide) with ("no".u/c. or nitric or (nitrogen adj oxide))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/04 16:38
S4	203	S3 and (@ad<"20010712" or @rlad<"20010712")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/04 16:38
S5	209	(gate adj oxide) with "no".u/c.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/04 16:38
S6	172	S5 and (@ad<"20010712" or @rlad<"20010712")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/04 16:38
S7	119	S6 and "438"/\$3.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/04 17:27
S8	2	"6197702".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/04 17:27
S9	0	oxidation with nitrated with gate with oxide with measur\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/04 16:31
S10	1	(oxidation with nitrated with gate with oxide) and (measur\$3 with thickness)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/03/13 20:33
S11	35	oxidation with nitrated with gate with oxide	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/03/13 20:33
S12	8	(oxidation with nitrated with gate with oxide) and measur\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/03/13 20:36

S13	0	(measur\$3 with thickness with oxide) and (nitrided with gate with oxide)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/03/13 20:37
S14	13	(measur\$3 with thickness with oxide) and (nitrided with gate with oxide)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/03/14 11:35
S15	6	ono and oxidiz\$3 and gate and oxide and nitrided and measur\$3 and thickness and ((predetermined or preset) with value)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/03/13 20:48
S16	38	measur\$3 with thickness with ono	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/03/14 12:07
S17	2	measur\$3 with thickness with nitrided with oxide	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/03/14 14:20
S18	21	measur\$3 with thickness with nitrided	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/03/14 14:18
S19	2	increas\$3 with thickness with reoxidized	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/03/14 14:19
S20	418	nitrided with gate with oxide	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/03/14 14:21
S21	14	(nitrided with gate with oxide) and measur\$3 and thickness and reoxidation	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/03/14 14:26
S22	0	correlation same (oxide adj thickness) same (nitrogen adj concentration)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/03/14 14:28
S23	5	correlation same oxide same thickness same nitrogen same concentration	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/03/14 15:16
S24	9	correlation same oxide same thickness same nitrogen	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/03/14 15:23

S25	365	measur\$3 same oxide same thickness same (nitrogen or nitrided)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/03/17 19:35
S26	112	((measur\$3 same oxide same thickness same (nitrogen or nitrided)) and "438"/\$3.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/03/14 15:26
S27	102	((measur\$3 same oxide same thickness same (nitrogen or nitrided)) and "438"/\$3.ccls.) and @ad<"20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/03/14 15:30
S28	3	((((measur\$3 same oxide same thickness same (nitrogen or nitrided)) and "438"/\$3.ccls.) and @ad<"20011012") and reoxidized	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/03/14 15:30
S29	3	oxide same growth with rate with nitrogen with content	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/03/16 13:43
S30	97	((oxide or oxidation or oxidized) same growth with rate with nitrogen	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/03/16 13:48
S31	9	((oxide or oxidation or oxidized) same growth with rate with nitrogen) and measur\$3 with thickness	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/03/16 14:10
S32	68	((relation or correlation) same thickness same oxide same nitrogen	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/03/16 14:57
S33	21	((relation or correlation) same thickness same oxide same nitrogen) and measur\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/03/16 14:58
S34	18	((((relation or correlation) same thickness same oxide same nitrogen) and measur\$3) and @ad<"20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/03/16 14:58
S35	299	determin\$5 same thickness same oxide same nitrogen	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/03/16 14:59
S36	144	((determin\$5 same thickness same oxide same nitrogen) and measur\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/03/16 15:00

S37	131	((determin\$5 same thickness same oxide same nitrogen) and measur\$3) and @ad<"20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/03/16 14:58
S38	33	determin\$5 with thickness with oxide with nitrogen	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/03/17 10:49
S39	17	(determin\$5 with thickness with oxide with nitrogen) and measur\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/03/16 15:07
S40	17	change with thickness with (oxide or oxidation or oxidized) with nitrogen	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/03/17 11:10
S41	62	measur\$3 and thickness and (oxide or oxidation or oxidized) and nitrogen and (reoxidation or reoxidized) and (oxynitride or ono)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/03/17 12:51
S42	56	(measur\$3 and thickness and (oxide or oxidation or oxidized) and nitrogen and (reoxidation or reoxidized) and (oxynitride or ono)) and @ad<"20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/03/17 13:01
S43	30	((measur\$3 and thickness and (oxide or oxidation or oxidized) and nitrogen and (reoxidation or reoxidized) and (oxynitride or ono)) and @ad<"20011012") and (nitrogen same oxide same thickness)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/03/17 13:06
S44	17	((measur\$3 and thickness and (oxide or oxidation or oxidized) and nitrogen and (reoxidation or reoxidized) and (oxynitride or ono)) and @ad<"20011012") and (nitrogen same oxide same thickness same (measur\$3 or determin\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/04 16:36
S45	14	thickness same nitrided same before same after same (oxide or oxidation)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/03/17 19:22
S46	2213	(implant\$5 or dop\$3) with boron with gate with electrode	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/03/17 19:34

S47	1111	((implant\$5 or dop\$3) with boron with gate with electrode) and "438"/\$3.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/03/17 19:35
S48	12	(measur\$3 same oxide same thickness same (nitrogen or nitrided)) and (((implant\$5 or dop\$3) with boron with gate with electrode) and "438"/\$3.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/03/17 19:36
S49	15643	oxid\$5 with nitr\$4 with gate with oxide	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/11/03 12:07
S50	2903	(oxid\$5 with nitr\$4 with gate with oxide) with (thick\$4 or measur\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/11/03 15:48
S51	0	"jp-2000311928-\$.did"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/11/03 15:11
S52	0	"jp-200311928-\$.did"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/11/03 14:03
S53	0	"jp-20000311928-\$.did"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/11/03 14:04
S54	0	"jp-20311928-\$.did"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/11/03 14:05
S55	0	"jp-00311928-\$.did"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/11/03 15:04
S56	2	"5972804".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/11/03 15:05
S57	0	"us-2003042432-\$.did"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/11/03 15:11
S58	0	"us-20003042432-\$.did"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/11/03 15:11

S59	0	"us-203042432-\$.did"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/11/03 15:15
S60	1	"059714".apn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/11/03 15:20
S61	1	"6639228".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/11/03 15:29
S62	6	("5939763" "6060374" "6110784" "6245689" "6423601" "6475887").PN.	USPAT	OR	ON	2003/11/03 15:21
S63	4	("5223443" "5604350" "5880013" "5904552").PN.	USPAT	OR	ON	2003/11/03 15:25
S64	2	"5254489".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/11/03 15:29
S65	168	((oxid\$5 with nitr\$4 with gate with oxide) with (thick\$4 or measur\$4)) same boron	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/11/03 15:49
S66	101	((((oxid\$5 with nitr\$4 with gate with oxide) with (thick\$4 or measur\$4)) same boron) and "438"/\$3.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/11/03 15:50
S67	82	(((((oxid\$5 with nitr\$4 with gate with oxide) with (thick\$4 or measur\$4)) same boron) and "438"/\$3.ccls.) and @ad<"20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/11/03 15:54
S68	4	(((((oxid\$5 with nitr\$4 with gate with oxide) with (thick\$4 or measur\$4)) same boron) and "438"/\$3.ccls.) and @ad<"20011012") and reoxidation	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/11/03 15:55
S69	5	((((nitrogen or nitrid\$5) with (gate adj oxide)) same ("no" or (nitric adj oxide))) and (oxid\$5 or reoxid\$5) and (((measur\$3 or calculat\$3) with thick\$4) same (nitrid\$5 with gate with oxide))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/09 14:51

S70	3	(((((nitrogen or nitrid\$5) with (gate adj oxide)) same ("no" or (nitric adj oxide))) and (oxid\$5 or reoxid\$5) and (((measur\$3 or calculat\$3) with thick\$4) same (nitrid\$5 with gate with oxide))) and (@ad<"20011012" or @rlad<"20011012"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/09 14:54
S71	25	(nitrid\$5 with (gate adj oxide)) and ("no".u/c. or (nitric adj oxide)) and (reoxid\$5 or ono) and (((measur\$3 or calculat\$3) with thick\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/09 17:04
S72	17	((nitrid\$5 with (gate adj oxide)) and ("no".u/c. or (nitric adj oxide)) and (reoxid\$5 or ono) and (((measur\$3 or calculat\$3) with thick\$4)) and (@ad<"20011012" or @rlad<"20011012"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/09 17:06
S73	1992	("no".u/c. or (nitric adj oxide)) and (((measur\$3 or calculat\$3) with thick\$4 with oxide)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/09 17:05
S74	13	("no".u/c. or (nitric adj oxide)) and (((measur\$3 or calculat\$3) with thick\$4 with nitrid\$5 with gate with oxide)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/09 17:06
S75	11	((("no".u/c. or (nitric adj oxide)) and (((measur\$3 or calculat\$3) with thick\$4 with nitrid\$5 with gate with oxide)) and (@ad<"20011012" or @rlad<"20011012"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/09 17:06
S76	1	reoxidation with nitrided with gate with oxide with RTP	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/09 20:00
S77	5	reoxidation with nitrided with gate with oxide with RTA	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/09 20:00
S78	6	reoxidation with nitrided with gate with oxide with rapid with thermal	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/09 20:01
S79	5	oxidation with nitrided with gate with oxide with rapid with thermal	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/09 20:04

S80	1	oxidizing with nitrided with gate with oxide with rapid with thermal	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/09 20:04
S81	2	\$2oxidized with nitrided with gate with oxide with rapid with thermal	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/09 20:05